Molecular Brain Research, 6 (1989) 331–333
Elsevier

Author Index

Akiyama, M., see Kuo, C.-H., 1
Augood, S.J., Emson, P.C., Mitchell, I.J., Boyce, S., Clarke, C.E. and Crossman, A.R., Cellular localisation of enkephalin gene expression in MPTP-treated cynomolgus monkeys, 85
Autelitano, D.J., see Fremeau, Jr., R.T., 197

Banner, C., see Thomas, J.W., 47
Barden, N., see Pepin, M.-C., 77
Baruchin, A., see Weisberg, E.P., 159
Beaulieu, S., see Pepin, M.-C., 77
Bick, D., see Schwanzel-Fukuda, M., 311
Blasquez, C., see Tranchand Bunel, D., 21
Blum, M., see Fremeau, Jr., R.T., 197
Blum, M., see Roberts, J.L., 127
Boyce, S., see Augood, S.J., 85
Brené, S., Lindefors, N., Kopp, J., Sedvall, G. and Persson, H., Regional distribution of neuropeptide Y mRNA in postmortem human brain, 241
Brown, I.R., see Landry, C.F., 251
Buck, C.R., see Gibs, R.B., 275
Buzzi, M.G., see Nishimori, T., 203

Campbell, A.M., see Kaprielian, Z., 55
Carter, D.A. and Murphy, D., Diurnal rhythm of vasopressin mRNA species in the rat suprachiasmatic nucleus: independence of neuroendocrine modulation and maintenance in explant culture, 233
Chao, M.V., see Gibbs, R.B., 275
Cho, W.K., see Kim, K., 151
Clarke, C.E., see Augood, S.J., 85
Conn, P.M., see Rothfeld, J., 121
Crossman, A.R., see Augood, S.J., 85

Delbende, C., see Tranchand Bunel, D., 21
Douglass, J., see Xie, C.W., 11
Draisci, G. and Iadarola, M.J., Temporal analysis of increases in c-*fos* preprodynorphin and preproenkephalin mRNAs in rat spinal cord, 31
Duch, D.S., see Frenkel, C., 211
Dunn, R.J., see Landry, C.F., 251
Dutlow, C.M., see Roberts, J.L., 127

Ellis, L., see Ramos, P., 61
Emson, P.C., see Augood, S.J., 85

Fairhurst, J.L., see Gubits, R.M., 39
Fambrough, D.M., see Kaprielian, Z., 55
Fernyhough, P., Mill, J.F., Roberts, J.L. and Ishii, D.N., Stabilization of tubulin mRNAs by insulin and insulin-like growth factor I during neurite formation, 109
Fisher, J.M., see Kreiner, T., 135
Fremeau, Jr., R.T., Autelitano, D.J., Blum, M., Wilcox, J. and Roberts, J.L., Intervening sequence-specific in situ hybridization: detection of the pro-opiomelanocortin gene primary transcript in individual neurons, 197
Frenkel, C., Duch, D.S., Recio-Pinto, E. and Urban, B.W., Pentobarbital suppresses human brain sodium channels, 211
Froman, B.E., see Gelinas, R.P., 177

Gelinas, R.P., Froman, B.E., McElroy, F., Tait, R.C. and Gorin, F.A., Human brain glycogen phosphorylase: characterization of fetal cDNA and genomic sequences, 177
Gibbs, R.B., McCabe, J.T., Buck, C.R., Chao, M.V. and Pfaff, D.W., Expression of NGF receptor in the rat forebrain detected with in situ hybridization and immunohistochemistry, 275
Goedert, M., see Spillantini, M.G., 143
Gonzalez, N.F., Shiraishi, K., Hisanaga, K., Sagar, S.M., Mandabach, M. and Sharp, F.R., Heat shock proteins as markers of neural injury, 93
Gonzalez, M.F., see Sharp, F.R., 217
Gorin, F.A., see Gelinas, R.P., 177
Griffith, J., see Sharp, F.R., 217
Gubits, R.M., Smith, T.M., Fairhurst, J.L. and Yu, H., Adrenergic receptors mediate changes in c-*fos* mRNA levels in brain, 39

Hahn, W.E., see Owens, G.P., 101
Hejtmancik, J.F., see Rothfeld, J., 121
Henneberry, R., see Thomas, J.W., 47
Hisanaga, K., see Gonzalez, M.F., 93
Hong, J.S., see Lee, P.H.K., 263
Hong, J.S., see Xie, C.W., 11
Hunt, S.P., see Spillantini, M.G., 143

Iadarola, M.J., see Draisci, G., 31
Inagaki, S., Shiosaka, S., Sekitani, M., Noguchi, K., Shimada, S. and Takagi, H., In situ hybridization analysis of the somatostatin-containing neuron system in developing cerebellum of rats, 289
Ishii, D.N., see Fernyhough, P., 109
Ivy, G.O., see Landry, C.F., 251

Jakubowski, M., see Roberts, J.L., 127
Jégou, S., see Tranchand Bunel, D., 21

Kaplan, B.B., see Weisberg, E.P., 159
Kaprielian, Z., Campbell, A.M. and Fambrough, D.M., Identification of a Ca^{2+}-ATPase in cerebellar Purkinje cells, 55
Kikuchi, A., see Kim, S., 167
Kim, K., Lee, B.J., Park, Y. and Cho, W.K., Progesterone increases messenger ribonucleic acid (mRNA) encoding luteinizing hormone releasing hormone (LHRH) level in the hypothalamus of ovariectomized estradiol-primed prepubertal rats, 151
Kim, S., Kikuchi, A., Mizoguchi, A. and Takai, Y., Intrasynaptosomal distribution of the *ras*, *rho* and *smg*-25A GTP-binding proteins in bovine brain, 167
Kopp, J., see Brené, S., 241
Kreiner, T., Fisher, J.M., Sossin, W. and Scheller, R.H., Large dense cored vesicles are enriched in neuropeptide processing intermediates in the *Aplysia* bag cells, 135
Kuo, C.-H., Akiyama, M. and Miki, N., Isolation of a novel re-

tina-specific clone (MEKA cDNA) encoding a photoreceptor soluble protein, 1

Landry, C.F., Ivy, G.O., Dunn, R.J., Marks, A. and Brown, I.R., Expression of the gene encoding the β-subunit of S-100 protein in the developing rat brain analyzed by in situ hybridization, 251
Lee, B.J., see Kim, K., 151
Lee, P.H.K., Zhao, D., Xie, C.W., McGinty, J.F., Mitchell, C.L. and Hong, J.S., Changes of proenkephalin and prodynorphin mRNAs and related peptides in rat brain during the development of deep prepyriform cortex kindling, 263
Lee, P.H.K., see Xie, C.W., 11
LeRoith, D., see Ota, A., 69
Li, S.J., see Xie, C.W., 11
Lindefors, N., see Brené, S., 241

Mandabach, M., see Gonzalez, M.F., 93
Marks, A., see Landry, C.F., 251
Mearow, K.M., Mill, J.F. and Vitkovic, L., The ontogeny and localization of glutamine synthetase gene expression in rat brain, 223
McCabe, J.T., see Gibbs, R.B., 275
McElroy, F., see Gelinas, R.P., 177
McGinty, J.F., see Lee, P.H.K., 263
Miki, N., see Kuo, C.-H., 1
Mill, J.F., see Fernyhough, P., 109
Mill, J.F., see Mearow, K.M., 223
Millar, R.P., see Roberts, J.L., 127
Mitchell, C.L., see Lee, P.H.K., 263
Mitchell, I.J., see Augood, S.J., 85
Mizoguchi, A., see Kim, S., 167
Morita, Y., see Noguchi, K., 327
Moskowitz, M.A., see Nishimori, T., 203
Murphy, D., see Carter, D.A., 233

Nishimori, T., Buzzi, M.G., Moskowitz, M.A. and Uhl, G.R., Preproenkephalin mRNA expression in nucleus caudalis neurons is enhanced by trigeminal stimulation, 203
Noguchi, K., Senba, E., Morita, Y., Sato, M. and Tohyama, M., Prepro-VIP and preprotachykinin mRNAs in the rat dorsal root ganglion cells following peripheral axotomy, 327
Noguchi, K., see Inagaki, S., 289
Novelli, A., see Thomas, J.W., 47

Ota, A., Shen-Orr, Z., Roberts, Jr., C.T. and LeRoith, D., TPA-induced neurite formation in a neuroblastoma cell line (SH-SY5Y) is associated with increased IGF-I receptor mRNA and binding, 69
Owens, G.P., Sinha, A.K., Sikela, J.M. and Hahn, W.E., Sequence and expression of the murine diazepam binding inhibitor, 101
Owyang, V., see Xie, C.W., 11

Park, Y., see Kim, K., 151
Pepin, M.-C., Beaulieu, S. and Barden, N., Antidepressants regulate glucocorticoid receptor messenger RNA concentrations in primary neuronal cultures, 77
Persson, H., see Brené, S., 241
Pfaff, D.W., see Gibbs, R.B., 275
Pfaff, D.W., see Rothfeld, J., 121
Pfaff, D.W., see Schwanzel-Fukuda, M., 311

Ramos, P. and Ellis, L., Expression in heterologous cells of the unusual cytoplasmic domain of rat brain 5B4/NCAM-ld, 61
Raynaud, B., see Vidal, S., 187
Recio-Pinto, E., see Frenkel, C., 211
Roberts, J.R., C.T., see Ota, A., 69
Roberts, J.L., Dutlow, C.M., Jakubowski, M., Blum, M. and Millar, R.P., Estradiol stimulates preoptic area-anterior hypothalamic proGnRH-GAP gene expression in ovariectomized rat, 127
Roberts, J.L., see Fernyhough, P., 109
Roberts, J.L., see Fremeau, Jr., R.T., 197
Rothfeld, J., Hejtmancik, J.F., Conn, P.M. and Pfaff, D.W., In situ hybridization for LHRH mRNA following estrogen treatment, 21

Sagar, S.M., see Gonzalez, M.F., 93
Sagar, S.M., see Sharp, F.R., 217
Sato, M., see Noguchi, K., 327
Scheller, R.H., see Kreiner, T., 135
Schwanzel-Fukuda, M., Bick, D. and Pfaff, D.W., Luteinizing hormone-releasing hormone (LHRH)-expressing cells do not migrate normally in an inherited hypogonadal (Kallmann) syndrome, 311
Sedvall, G., see Brené, S., 241
Sekitani, M., see Inagaki, S., 289
Senba, E., see Noguchi, K., 327
Sharp, F.R., Griffith, J., Gonzalez, M.F. and Sagar, S.M., Trigeminal nerve section induces Fos-like immunoreactivity (FLI) in brainstem and decreases FLI in sensory cortex, 217
Sharp, F.R., see Gonzalez, M.F., 93
Shen-Orr, Z., see Ota, A., 69
Shimada, S., see Inagaki, S., 289
Shiosaka, S., see Inagaki, S., 289
Shiraishi, K., see Gonzalez, M.F., 93
Sikela, J.M., see Owens, G.P., 101
Simerly, R.B., Hormonal control of the development and regulation of tyrosine hydroxylase expression within a sexually dimorphic population of dopaminergic cells in the hypothalamus, 297
Sinha, A.K., see Owens, G.P., 101
Smith, H.H., see Thomas, J.W., 47
Smith, T.M., see Gubits, R.M., 39
Sossin, W., see Kreiner, T., 135
Spillantini, M.G., Hunt, S.P., Ulrich, J. and Goedert, M., Expression and cellular localization of amyloid B-protein precursor transcripts in normal human brain and in Alzheimer's disease, 143
Stachowiak, M.K., see Weisberg, E.P., 159
Stricker, E.M., see Weisberg, E.P., 159

Tait, R.C., see Gelinas, R.P., 177
Takagi, H., see Inagaki, S., 289
Takai, Y., see Kim, S., 167
Takeuchi, K., see Xie, C.W., 11
Tao-Cheng, J.-H., see Thomas, J.W., 47
Thomas, J.W., Novelli, A., Tao-Cheng, J.-H., Henneberry, R., Smith, H.H. and Banner, C., Developmental induction of glutaminase in primary cultures of cerebellar granule cells, 47
Tohyama, M., see Noguchi, K., 327
Tranchand Bunel, D., Blasquez, C., Delbende, C., Jégou, S. and Vaudry, H., Involvement of voltage-operated calcium channels in α-melanocyte-stimulating hormone (α-MSH) release from perifused rat hypothalamic slices, 21

Uhl, G.R., see Nishimori, T., 203
Ulrich, J., see Spillantini, M.G., 143
Urban, B.W., see Frenkel, C., 211

Vaudry, H., see Tranchand Bunel, D., 21
Vidal, S., Raynaud, B. and Weber, M.J., The role of Ca^{2+} channels of the L-type in neurotransmitter plasticity of cultured sympathetic neurons, 187
Vitkovic, L., see Mearow, K.M., 223

Weber, M.J., see Vidal, S., 187
Weisberg, E.P., Baruchin, A., Stachowiak, M.K., Stricker, E.M., Zigmond, M.J. and Kaplan, B.B., Isolation of a rat adrenal cDNA clone encoding phenylethanolamine *N*-methyltransferase and cold-induced alterations in adrenal PNMT mRNA and protein, 159
Wilcox, J., see Fremeau, Jr., R.T., 197

Xie, C.W., Lee, P.H.K., Takeuchi, K., Owyang, V., Li, S.J., Douglass, J. and Hong, J.S., Single or repeated electroconvulsive shocks alter the levels of prodynorphin and proenkephalin mRNAs in rat brain, 11
Xie, C.W., see Lee, P.H.K., 263

Yu, H., see Gubits, R.M., 39

Zhao, D., see Lee, P.H.K., 263
Zigmond, M.J., see Weisberg, E.P., 159